
**MOUVEX**
**MODEL :**

# PARTS LIST
# C12 i - C18 i

P.L. : 1001-D01

| | |
|---|---|
| Section | 1001 |
| Effective | May 2011 |
| Replaces | June 2010 |

(See Instructions **1001-D00** for Installation, Operation and Maintenance)




| Reference | | | Description | Quantity | | Article code | | Wear parts |
|---|---|---|---|---|---|---|---|---|
| Ass. | Part | Available | | Order | In Pump | C12 i | C18 i | |
| | | | **STANDARD INLET MANIFOLD :** | | | | | |
| 100 | | ◆ | **PN16 DN65** | 1 | | 311582.00 | | |
| 100 | | ◆ | **PN20 DN65** | 1 | | 311726.00 | | |
| 100 | | ◆ | **SMS 63** | 1 | | 311581.00 | | |
| 100 | | ◆ | **DIN 65** | 1 | | 311646.00 | | |
| 100 | | ◆ | **CHERRY BURREL 63** | 1 | | 311607.00 | | |
| 100 | | ◆ | **CLAMP ISO 63** | 1 | | 311644.00 | | |
| 100 | | ◆ | **IDF 63** | 1 | | 311648.00 | | |
| 100 | | ◆ | **Smooth Pipes** | 1 | | 311650.00 | | |
| 100 | | ◆ | **ASEPTIK DIN 11864-BF-A DN65** | 1 | | 313559.00 | | |
| 100 | | ◆ | **CS F DN65** | 1 | | 313894.00 | | |
| 100 | | ◆ | **BS4825-5 DN65** | 1 | | 313990.00 | | |
| | | | **JACKETED INLET MANIFOLD :** | | | | | |
| 100 | | ◆ | **PN16 DN65** | 1 | | 311854.00 | | |
| 100 | | ◆ | **PN20 DN65** | 1 | | 311860.00 | | |
| 100 | | ◆ | **SMS 63** | 1 | | 311853.00 | | |
| 100 | | ◆ | **DIN 65** | 1 | | 311858.00 | | |
| 100 | | ◆ | **CHERRY BURREL 63** | 1 | | 311855.00 | | |
| 100 | | ◆ | **CLAMP ISO 63** | 1 | | 311857.00 | | |
| 100 | | ◆ | **IDF 63** | 1 | | 311859.00 | | |
| 100 | | ◆ | **Smooth Pipes** | 1 | | 311856.00 | | |
| 100 | | ◆ | **ASEPTIK DIN 11864-BF-A DN65** | 1 | | 313572.00 | | |
| 100 | | ◆ | **CS F DN65** | 1 | | 313897.00 | | |
| 100 | | ◆ | **BS4825-5 DN65** | 1 | | 313992.00 | | |
| | 101 | | Main body | | (1) | | | |
| | 104 | | Main body flange | | (1) | | | |
| | 108 | | Support foot | | (1) | | | |
| | 109 | | Screw | | (2) | | | |
| | 117 | | Pin | | (2) | | | |
| | 118 | | Pin | | (1) | | | |
| | 124 | | Plug (with Jacketed Inlet ) | | (2) | | | |

(◆) To order the required spare parts, indicate the appropriate CUM numbers.

| Reference | | | Description | Quantity | | Article code | | Wear parts |
|---|---|---|---|---|---|---|---|---|
| Ass. | Part | Available | | Order | In Pump | C12 i | C18 i | |
| **119** | | ◆ | **Set of studs and nuts** | **1** | | **311580.00** | **311748.00** | |
| | 105 | | Stud | | (4) | | | |
| | 106 | | Blind nut | | (12) | | | |
| | 107 | | Stud | | (2) | | | |
| | 111 | | Stud | | (4) | | | |
| | 115 | | Blind nut | | (4) | | | |
| | 123 | | Washer | | (4) | | | |
| **200** | | ◆ | **Set cylinder/Piston** | **1** | | **312865.04** | **312867.00** | • |
| | 201 | | Cylinder | | (1) | | | |
| | 301 | | Piston | | (1) | | | |
| | 304 | ▲ | Piston nut | 1 | | 218053 | 218397 | |
| **206** | | ◆ | **Set of FKM 'O' ring seals** | **1** | | **311588.00** | | • |
| **206** | | ◆ | **Set of CVT 'O' ring seals** | **1** | | **311589.00** | | • |
| **206** | | ◆ | **Set of FKM lip seals ('L' rings) FDA** | **1** | | **311763.00** | | • |
| **206** | | ◆ | **Set of L. PTFE seals ('L' rings)** | **1** | | **311812.04** | | • |
| | 113 | | Seal | | (2) | | | |
| | 205 | | Seal Ring | | (2) | | | |
| | 305 | | Seal | | (1) | | | |
| | 306 | | Seal | | (1) | | | |
| | | | **COMPLETE FRONT COVER :** | | | | | |
| **400** | | ◆ | **PN16 DN65** | **1** | | **311591.00** | | |
| **400** | | ◆ | **PN20 DN65** | **1** | | **311728.00** | | |
| **400** | | ◆ | **SMS 63** | **1** | | **311590.00** | | |
| **400** | | ◆ | **DIN 65** | **1** | | **311639.00** | | |
| **400** | | ◆ | **CHERRY BURREL 63** | **1** | | **311609.00** | | |
| **400** | | ◆ | **CLAMP ISO 63** | **1** | | **311637.00** | | |
| **400** | | ◆ | **IDF 63** | **1** | | **311641.00** | | |
| **400** | | ◆ | **Smooth pipes** | **1** | | **311643.00** | | |
| **400** | | ◆ | **ASEPTIK DIN 11864-BF-A DN65** | **1** | | **313557.00** | | |
| **400** | | ◆ | **CS F DN65** | **1** | | **313903.00** | | |
| **400** | | ◆ | **BS4825-5 DN65** | **1** | | **313993.00** | | |
| | | | Front cover : | | | | | |
| | 401 | ◆ | PN16 DN65 | 1 | | 311523.00 | | |
| | 401 | ◆ | PN20 DN65 | 1 | | 311722.00 | | |
| | 401 | ◆ | SMS 63 | 1 | | 311467.00 | | |
| | 401 | ◆ | DIN 65 | 1 | | 311623.00 | | |
| | 401 | ◆ | CHERRY BURREL 63 | 1 | | 311608.00 | | |
| | 401 | ◆ | CLAMP ISO 63 | 1 | | 311621.00 | | |
| | 401 | ◆ | IDF 63 | 1 | | 311625.00 | | |
| | 401 | ◆ | Smooth pipes | 1 | | 311627.00 | | |
| | 401 | ◆ | ASEPTIK DIN 11864-BF-A DN65 | 1 | | 313565.00 | | |
| | 401 | ◆ | CS F DN65 | 1 | | 313904.00 | | |
| | 401 | ◆ | BS4825-5 DN65 | 1 | | 314002.00 | | |
| | 402 | | Outlet tube | | (1) | | | |

| Reference | | | Description | Quantity | | Article code | | Wear parts |
|---|---|---|---|---|---|---|---|---|
| Ass. | Part | Available | | Order | In Pump | C12 i | C18 i | |
| | | | **COMPLETE STANDARD TRANSMISSION :** | | | | | |
| **596** | | ◆ | **without Bellows monitoring system** | **1** | | **313789.00** | | |
| **596** | | ◆ | **with Pressure switch bellows monitoring system** | **1** | | **313670.01** | | |
| **596** | | ◆ | **with ATEX pressure switch bellows monitoring system** | **1** | | **313786.00** | | |
| **596** | | ◆ | **with Pressure gauge bellows monitoring system** | **1** | | **314793.00** | | |
| | | | **COMPLETE JACKETED TRANSMISSION :** | | | | | |
| **596** | | ◆ | **without Bellows monitoring system** | **1** | | **313848.00** | | |
| **596** | | ◆ | **with Pressure switch bellows monitoring system** | **1** | | **313671.01** | | |
| **596** | | ◆ | **with ATEX pressure switch bellows monitoring system** | **1** | | **313791.00** | | |
| **596** | | ◆ | **with Pressure gauge bellows monitoring system** | **1** | | **314792.00** | | |
| | 9 | ◆ | Bearing gaskets / ring | 1 | | 312855.01 | | |
| | 507 | | Ring | | (1) | | | |
| | 518 | | O-Ring | | (1) | | | |
| | 608 | | Lip seal | | (2) | | | |
| | 725 | | Circlip | | (1) | | | |
| | 8 | ◆ | Plugs + gasket | 1 | | 314259.00 | | |
| | 715 | | Breather | | (1) | | | |
| | 771 | | Seal | | (1) | | | |
| | 772 | | Plug | | (1) | | | |
| | 775 | | Plug | | (1) | | | |

CVT : FKM enrobé FEP

(◆) To order the required spare parts, indicate the appropriate CUM numbers.
Keep this parts lists with Installation, Operation and Maintenance Instructions.

CVT : FEP encapsulated FKM

Z.I. la Plaine des Isles - 2 rue des Caillottes F-89000 AUXERRE - France
Tel : +33 (0)3 86 49 86 30 • Fax : +33 (0)3 86 49 87 17
contact@mouvex.com • www.mouvex.com

3, Poruchik Nedelcho Bonchev Str., fl. 5,1528 Sofia, Bulgaria
tel: +359 2 973 27 67
e-mail: office@daisglobal.eu